



**SECCO**

Model	10000	10001	10002	10003	10004	10005	10006	10007	10008	10009	10010	10011	10012	10013	10014	10015	10016	10017	10018	10019	10020
Year	1999	1999	1999	1999	1999	1999	1999	1999	1999	1999	1999	1999	1999	1999	1999	1999	1999	1999	1999	1999	1999
Price	10000	10001	10002	10003	10004	10005	10006	10007	10008	10009	10010	10011	10012	10013	10014	10015	10016	10017	10018	10019	10020



**LA JOLLA**

Model	10021	10022	10023	10024	10025	10026	10027	10028	10029	10030	10031	10032	10033	10034	10035	10036	10037	10038	10039	10040	
Year	1999	1999	1999	1999	1999	1999	1999	1999	1999	1999	1999	1999	1999	1999	1999	1999	1999	1999	1999	1999	1999
Price	10021	10022	10023	10024	10025	10026	10027	10028	10029	10030	10031	10032	10033	10034	10035	10036	10037	10038	10039	10040	



**cross selection 2001**

SPORTS MTB

- SPURTO
- Sprinter
- COLUMBIA
- ATLANTA
- MONTANA
- PARIS
- PIONEER
- LEADER
- AGRESSOR
- SAINT-ESP
- Parallel
- TIGER
- CHERRA
- GRONON

www.crosscycle.com



**CROSS**

Model	10041	10042	10043	10044	10045	10046	10047	10048	10049	10050	10051	10052	10053	10054	10055	10056	10057	10058	10059	10060	
Year	1999	1999	1999	1999	1999	1999	1999	1999	1999	1999	1999	1999	1999	1999	1999	1999	1999	1999	1999	1999	1999
Price	10041	10042	10043	10044	10045	10046	10047	10048	10049	10050	10051	10052	10053	10054	10055	10056	10057	10058	10059	10060	



**cross**

SPORT UTILITY BICYCLES

2000 CROSS GENERATION



**CROSS**

Model	10061	10062	10063	10064	10065	10066	10067	10068	10069	10070	10071	10072	10073	10074	10075	10076	10077	10078	10079	10080	
Year	1999	1999	1999	1999	1999	1999	1999	1999	1999	1999	1999	1999	1999	1999	1999	1999	1999	1999	1999	1999	1999
Price	10061	10062	10063	10064	10065	10066	10067	10068	10069	10070	10071	10072	10073	10074	10075	10076	10077	10078	10079	10080	



**cross**

SPORT UTILITY BICYCLES

2001









# contents

<b>TREKKING</b>		
Quest		4 - 5
Flyent / Flydy		6 - 7
Journey		8 - 9
Avalon / Amber / Tiara		10 - 12
Galatone / Galatea / Galatea LS		13 - 15
Areal / Arena / Arena LS		16 - 18
Travel		19 - 21
<b>CROSS</b>		
Quest		22 - 23
Avalon / Amber		24 - 25
Areal / Arena		26 - 27
<b>CITY</b>		
Elegra		28 - 29
Riviera		30
Trendy		31 - 32
Citerra		33 - 35
Picnic		36 - 37
<b>URBAN</b>		
Spria		38
Flydy / Flyent		39 - 40
<b>29er</b>		
Grip 924:927		41 - 42
Big Foot		43
<b>MTB</b>		
Grip 124:127:130		44 - 46
GRX 7:8:9		47 - 49
Traction G27:G30		50 - 51
Parallax 2VB:2DB		52 - 53
Spotster 2VB:2DB		54-55
Gravito 2VB:2DB / Gravita		56-57
<b>JUNIOR</b>		
Gravito S 26:24:20		58-59
Gravita S 26:24:20		60-61
<b>GEOMETRY</b>		
Size chart		62-64







- frames Man (diamond) Alloy, 700C x 480 / 520 / 560 / 600 mm  
Lady (trapez) Alloy, 700C x 440 / 480 / 520 mm
- forks Aluminium Rigid Fork
- gears 30 speed SHIMANO DEORE XT RD-T780 / SL-M591
- brakes SHIMANO BR-M395 Hydraulic disc brakes
- wheels Double wall X8, 32 spokes





- frames Man (diamond) Alloy, 700C x 480 / 530 / 580 mm  
Lady (trapez) Alloy, 700C x 440 / 480 / 520 mm
- forks SUNTOUR NCX-FT-D LO LITE, travel 63 mm
- gears 27 speed SHIMANO DEORE LX RD-T661 / SL-M590
- brakes MAGURA HS11 Hydraulic rim brakes
- wheels Double wall X7, 32 spokes





- frames Man (diamond) Alloy, 700C x 480 / 520 / 560 / 600 mm  
Lady (trapez) Alloy, 700C x 440 / 480 / 520 mm
- forks SUNTOUR NEX, travel 63 mm
- gears 27 speed SHIMANO DEORE RD-M591 / SL-M390
- brakes TEKTRO DRACO Hydraulic disc brakes
- wheels Double wall X3, 32 spokes



# AVALON AMBER



frames Man (diamond) Alloy, 700C x 480 / 520 / 560 / 600 mm  
 Lady (trapez) Alloy, 700C x 440 / 480 / 520 mm  
 forks SUNTOUR NEX, travel 63 mm  
 gears 24 speed SHIMANO ALIVIO RD-M4.10 / ST-EF51  
 brakes SHIMANO BR-M422 V-brakes  
 wheels Double wall X3, 36 spokes

# TIARA

frame Low Step (Wave) Alloy, 700C x 440 / 480 / 520 mm  
 fork SUNTOUR CR-7V, travel 40 mm  
 gears 24 speed SHIMANO ALIVIO RD-M4.10 / ST-EF51  
 brakes SHIMANO alloy V-brakes BR-M422  
 wheels Double wall X3, 36 spokes, 9x4 lacing





# GALATONE

frame Man (Diamond) Alloy  
700C x 500 / 550 / 600 mm

trekking

fork SUNTOUR CR-7V, travel 40 mm  
gears 24 speed SHIMANO ACERA RD-M360 / ST-EF51  
brakes TEKTRO V-brakes  
wheels Double wall X3, 36 spokes



13

14

# GALATEA

frame Lady (Trapez) Alloy  
700C x 450 / 500 / 550 mm

# GALATEA LS

frame Low Step (Connect) Alloy  
700C x 450 / 500 / 550 mm

trekking



15



forks SUNTOUR M3010AL, travel 50 mm  
gears 21 speed SHIMANO ALTUS RD-M310 / ST-EF51  
brakes PROMAX alloy V-brakes  
wheels Double wall X2, 36 spokes

## AREAL

frame Man (Diamond) Alloy  
700C x 480 / 520 / 560 / 600 mm



## ARENA

frame Lady (Trapez) Alloy  
700C x 440 / 480 / 520 mm



## ARENA LS

frame Low Step (Wave) Alloy  
700C x 400 / 460 / 500 / 540 mm





frames Man (Diamond) Alloy 700C x 480 / 520 / 580 / 610 mm  
Lady (Trapez) Alloy 700C x 460 / 500 / 540 mm  
fork SUNTOUR NEX, travel 63 mm  
gears 24 speed SHIMANO ALIVIO RD-M410 / SL-M360  
brakes TEKTRO DRACO Hydraulic disc brakes  
wheels Double wall X3, 36 spokes







- frames Man (diamond) Alloy, 700C x 480 / 520 / 560 / 600 mm  
Lady (trapez) Alloy, 700C x 440 / 480 / 520 mm
- forks SUNTOUR NCX-D LO LITE, travel 63 mm
- gears 30 speed SHIMANO DEORE XT RD-T780 / SL-M591
- brakes SHIMANO BR-M395 Hydraulic disc brakes
- wheels Double wall X8, 32 spokes



# AVALON AMBER



- frames Man (diamond) Alloy, 700C x 480 / 520 / 560 / 600 mm  
Lady (trapez) Alloy, 700C x 440 / 480 / 520 mm
- forks SUNTOUR NEX, travel 63 mm
- gears 27 speed SHIMANO DEORE RD-M591 / SL-M390
- brakes TEKTRO DRACO Hydraulic disc brakes
- wheels Double wall X6, 36 spokes



# AREAL ARENA



- frames Man (diamond) Alloy, 700C x 480 / 520 / 560 / 600 mm  
Lady (trapez) Alloy, 700C x 440 / 480 / 520 mm
- forks SUNTOUR NEX, travel 63 mm
- gears 21 speed SHIMANO ALTUS RD-M310 / ST-EF51
- brakes PROMAX V-brakes
- wheels Double wall X3, 36 spokes



E B I K E  
ELEGRA

frame Low Step (Wave) Alloy, 700C x 440 / 480 mm, 26" x 400 mm  
 fork SUNTOUR NVX-HE, travel 63 mm  
 gears 7 speed SHIMANO NEXUS INTER-7 coaster brake  
 brakes SHIMANO BR-M422 V-brakes  
 wheels Double wall X3, 36 spokes



SA SUNTOUR **HES**C TWIN SENSOR SYSTEM  
 Human Electro Synergy Components FRONT HUB MOTOR - 36V/250W  
 LI-ION Battery 36V-8AH



# RIVIERA

frame Low Step (Wave) Alloy, 700C x 430 / 480 / 530 / 570 mm  
fork SUNTOUR CR-8V, travel 50 mm  
gears 8 speed SHIMANO NEXUS INTER-8 coaster brake  
brakes SHIMANO alloy V-brakes BR-M422  
wheels Double wall X3, 36 spokes



frames Man (diamond) Alloy, 700C x 550 / 600 mm  
Low Step (connect) Alloy, 700C x 500 / 550 mm  
forks SUNTOUR CR-8R, travel 50 mm  
gears 7 speed SHIMANO NEXUS INTER-7 roller brake  
brakes SHIMANO Roller brakes BR-IM45  
wheels Double wall X3, 36 spokes, 9x4 lacing

# TRENDY



# CITERRA LS

frame Low Step (Connect) Alloy  
700C x 450 / 500 / 550 mm

city

fork SUNTOUR CR-7V, travel 40 mm  
gears 7 speed SHIMANO NEXUS INTER-7 coaster brake  
brakes PROMAX V-brakes  
wheels Double wall X2, 36 spokes



33

34

# CITERRA L

frame Lady (Trapez) Alloy  
700C x 440 / 480 / 520 mm

# CITERRA M

frame Man (Diamond) Alloy  
700C x 480 / 520 / 560 / 600 mm


city



35



## PICNIC



frame Alloy, Low Step, Retro Style 700C x 450 / 500 / 550 mm  
 forks Steel rigid fork  
 gears 3 speed SHIMANO NEXUS INTER-3 coaster brake  
 brakes PROMAX V-brakes  
 wheels Double wall X2, 36 spokes



# SPRIA

frame Man (diamond) Alloy, 700C x 470 / 530 / 570 / 610 mm  
 fork Steel rigid fork  
 gears 3 speed SHIMANO NEXUS INTER-3 V-brake  
 brakes TEKTRO V-brakes  
 wheels Double wall X4, 36 spokes



# FLYDY FLYENT



frames Man (diamond) Alloy, 700C x 480 / 530 / 580 mm  
 Lady (trapez) Alloy, 700C x 440 / 480 / 520 mm  
 forks Aluminium rigid fork  
 gears 27 speed SHIMANO DEORE LX RD-T661 / SL-M430  
 brakes AVID ELIXIR 1 Hydraulic disc brakes  
 wheels Double wall X6, 32 spokes





Optional color



fork SUNTOUR XCT  
travel 100 mm  
gears 24 speed SHIMANO ALTEGRA  
RD-M390 / SL-M310  
RD-M300  
TEKTRONIX disc brakes  
brakes Hydraulic disc brakes

924  
GRIP

29er

fork SUNTOUR XCM MLO  
travel 100 mm  
gears 27 speed SHIMANO ALVIDO  
RD-M430 / SL-M430  
brakes SHIMANO BR-M395  
Hydraulic disc brakes

927

41

42



BIG FOOT

frame Alloy hardtail, hydroformed, double butted,  
29" x 400 / 450 / 510 mm  
fork ROCK SHOX XC30 lockout,  
travel 100 mm  
gears 30 speed SRAM X7  
X5 trigger shifters  
brakes AVID ELIXIR 3  
Hydraulic disc brakes  
wheels Double wall X6, 32 spokes



43

29er

TWENTY NINERS XC

type frames Alloy hardtail, double butted  
29" x 440 / 480 / 520 / 560 mm  
wheels Double wall X6, 32 spokes





Optional color



GRIP 124

fork SUNTOR XCM MD Travel 100 mm  
 gears 24 speed SHIMANO ACEERA RD-M360 / SL-M360  
 brakes Tektro RD-C0 Hydraulic disc brakes  
 wheels Double wall X8, 32 spokes



GRIP 130

fork ROCK SHOX XC30  
 Air lockout, travel 100 mm  
 gears 27 speed SHIMANO DEORE  
 XT RD-M781 / SL-M591  
 brakes AVID ELIXIR 1  
 Hydraulic disc brakes  
 wheels Double wall X8,  
 32 spokes

GRIP 130

fork ROCK SHOX RECON SILVER  
 Air lockout, travel 100 mm  
 gears 30 speed SHIMANO DEORE  
 XT RD-M781 / SL-M591  
 brakes AVID ELIXIR 3  
 Hydraulic disc brakes



XC type frames Alloy Hardtail, double butted  
 26" x 440 / 480 / 520 / 560 mm



# GRX 7

fork SUNTOUR XCT, travel 100 mm  
 gears 24 speed SHIMANO ALTUS RD-M310 / SL-M310  
 brakes TEKTRO DRACO Hydraulic disc brakes  
 wheels Double wall X6, 36 spokes



MTB

XC type frames Alloy Hardtail  
 26" x 410 / 460 / 510 / 560 mm

47



48

GRX 8  
 fork SUNTOUR XCT M10, travel 100 mm  
 gears 24 speed SHIMANO ALTUS RD-M310 / SL-M310  
 brakes SHIMANO BR-M315 Hydraulic disc brakes  
 wheels Double wall X6, 32 spokes

# GRX 9

fork ROCK SHOX XC30 Lockout, travel 100 mm  
 gears 21 speed SHIMANO DEORE RD-M591 / SL-M590  
 brakes SHIMANO BR-M395 Hydraulic disc brakes  
 wheels Double wall X6, 32 spokes



49

MTB





wheels Double wall XCM, 32 spokes  
 brakes SRAMNO BR-M7.2, V-brakes  
 gears 21 speed SRAMNO O DEGRE  
 fork SINTOUR XCM MCO, travel 100 mm / SL-M390

# G 27 TRACTION G 30

wheels Double wall X8, 32 spokes  
 brakes AVID ELIXIR 3 Hydraulic disc brakes  
 gears 30 speed SRAM X7 X5 Trigger shifters  
 fork ROCK SHOX RECON SILVER Air lockout, travel 100 mm



type frames Alloy hardtail, Double Butted  
 26" x 430 / 480 / 530 / 580 mm





fork SUNTOUR XCT, travel 100 mm  
gears 27 speed SHIMANO ACERA RD-M390 / SL-M390  
brakes TEKTRO DRACO V-brakes  
wheels Double wall X.7, 36 spokes

# 20B PARALLAX 20B

fork SUNTOUR XCM MLO, travel 100 mm  
gears 27 speed SHIMANO ACERA RD-M390 / SL-M390  
brakes TEKTRO DRACO Hydraulic disc brakes  
wheels Double wall X6, 32 spokes



type frames Alloy hardtail, Double Butted  
26" x 430 / 485 / 530 mm





2VB SPOTSTER 20B  
 fork RST Dirt T, travel 100 mm  
 gears 21 speed SHIMANO ALTUS RD-M310 / ST-EF51  
 brakes TEKTRO V-brakes  
 wheels Double wall X2, 36 spokes



2VB SPOTSTER 20B  
 fork RST Dirt T, travel 100 mm  
 gears 24 speed SHIMANO DEORE RD-M591 / SL-M360  
 brakes AVID ELIXIR 1 Hydraulic disc brakes  
 wheels Double wall X6, 32 spokes

**DIRT** type frames Alloy hardtail  
 26" x 380 / 420 / 460 / 530 mm





Wheels  
brakes  
gears  
21 speed SHIMANO RD-TX55  
PROMAX V-brakes  
Double wall X2, 36 spokes

# GRAVITO 20B

frame Alloy hardtail, 26" x 410 / 460 / 510 mm  
fork SUNTOUR XCT, travel 80 mm



gears 21 speed Shimano ACERA RD-M360 / ST-EF51  
brakes TEKTRO Noveta mechanical disc brakes  
wheels Double wall X6, 36 spokes

# GRAVITA

frame Alloy hardtail, 26" x 420 / 460 mm  
fork SUNTOUR XCT, travel 80 mm  
gears 21 speed SHIMANO RD-TX55 / ST-EF51  
brakes PROMAX V-brakes  
wheels Double wall X2, 36 spokes





# GRAVITO S

frames Alloy hardtail slopy type

24" x 350 mm  
 fork HL ZOOM 550, travel 60 mm  
 gears 21 speed SHIMANO RD-TX55 / ST-EF51  
 brakes PROMAX alloy V-brakes  
 wheels Double wall X3, 36 spokes



24" x 320 mm  
 fork HL ZOOM 550, travel 60 mm  
 gears 21 speed SHIMANO RD-TX55 / ST-EF51  
 brakes PROMAX alloy V-brakes  
 wheels Double wall X3, 36 spokes



20" x 290 mm  
 fork HL ZOOM 386, travel 40 mm  
 gears 12 speed SHIMANO RD-TX35 / Revoshift  
 brakes PROMAX alloy V-brakes  
 wheels Double wall X3, 36 spokes





# GRAVITA S

frames Alloy hardtail slopy type

24" x 350 mm  
fork HL ZOOM 550, travel 60 mm  
gears 21 speed SHIMANO RD-TX55 / ST-EF51  
brakes PROMAX alloy V-brakes  
wheels Double wall X3, 36 spokes



24" x 320 mm  
fork HL ZOOM 550, travel 60 mm  
gears 21 speed SHIMANO RD-TX35 / Revoshift  
brakes PROMAX alloy V-brakes  
wheels Double wall X3, 36 spokes




20" x 290 mm  
fork HL ZOOM 386, travel 40 mm  
gears 12 speed SHIMANO RD-TX35 / Revoshift  
brakes PROMAX alloy V-brakes  
wheels Double wall X3, 36 spokes






- A seat tube length (mm)
- B effective top tube length (mm)
- C seat tube angle
- D head tube angle
- E head tube length (mm)
- F chain stay length (mm)
- G wheel base (mm)



28" wheels size - Man  
(diamond type) frames


	frame size (A)	B	C	D	E	F	G
<b>Quest</b>	M / 480	560.0	73.0°	71.0°	135.0	445.0	1074.5
	L / 520	575.1	73.0°	71.0°	145.0	445.0	1089.9
	XL / 560	591.6	73.0°	71.0°	155.0	445.0	1105.3
	XXL / 600	609.5	73.0°	71.0°	165.0	445.0	1120.6
<b>Flyent</b>	L / 480	532.2	72.5°	70.5°	145.0	450.0	1075.8
	XL / 530	569.1	72.5°	70.5°	160.0	450.0	1091.4
	XXL / 580	587.6	72.5°	70.5°	175.0	450.0	1106.9
<b>Journey</b>	M / 480	563.9	72.0°	71.0°	135.0	460.0	1087.0
	L / 520	580.8	72.0°	71.0°	145.0	460.0	1102.0
	XL / 560	599.7	72.0°	71.0°	160.0	460.0	1118.0
	XXL / 600	619.8	72.0°	71.0°	175.0	460.0	1134.0
<b>Avalon</b>	M / 480	559.7	73.0°	70.5°	135.0	450.0	1087.0
	L / 520	576.1	73.0°	70.5°	145.0	450.0	1102.0
	XL / 560	593.8	73.0°	70.5°	160.0	450.0	1118.0
	XXL / 600	612.6	73.0°	70.5°	175.0	450.0	1134.0
<b>Galatone</b>	L / 500	563.9	72.5°	70.5°	145.0	450.0	1088.6
	XL / 550	587.1	72.5°	70.5°	160.0	450.0	1109.1
	XXL / 600	612.7	72.5°	70.5°	175.0	450.0	1129.7

	frame size (A)	B	C	D	E	F	G
<b>Areal</b>	M / 480	559.7	73.0°	70.5°	135.0	450.0	1087.0
	L / 520	576.1	73.0°	70.5°	145.0	450.0	1102.0
	XL / 560	593.8	73.0°	70.5°	160.0	450.0	1118.0
	XXL / 600	612.6	73.0°	70.5°	175.0	450.0	1134.0
<b>Travel</b>	M / 480	559.2	72.5°	70.5°	130.0	440.0	1071.2
	L / 520	576.1	72.5°	70.5°	145.0	440.0	1086.7
	XL / 560	591.7	72.5°	70.5°	160.0	440.0	1101.8
	XXL / 600	611.0	72.5°	70.5°	175.0	440.0	1117.8
<b>Trendy</b>	XL / 550	559.4	70.0°	70.0°	175.0	460.0	1074.6
	XXL / 600	578.2	70.0°	70.0°	175.0	460.0	1084.6
<b>Citerra</b>	M / 480	559.7	73.0°	70.5°	135.0	450.0	1087.0
	L / 520	576.1	73.0°	70.5°	145.0	450.0	1102.0
	XL / 560	593.8	73.0°	70.5°	160.0	450.0	1118.0
	XXL / 600	612.7	73.0°	70.5°	175.0	450.0	1134.0
<b>Spria</b>	M / 470	533.0	75.0°	72.5°	120.0	428.0	1016.4
	L / 530	545.9	75.0°	72.5°	135.0	428.0	1024.0
	XL / 570	554.5	75.0°	72.5°	135.0	428.0	1024.0
	XXL / 610	568.3	75.0°	72.5°	165.0	428.0	1038.2



28" wheels size - Low Step  
(wave & connect type) frames

	frame size (A)	B	C	D	E	F	G
<b>Tiara</b>	M / 440	559.5	72.5°	70.5°	160.0	450.0	1082.1
	L / 480	567.5	72.5°	70.5°	160.0	450.0	1092.1
	XL / 520	578.8	72.5°	70.5°	160.0	450.0	1102.1
<b>Galatea LS</b>	M / 450	543.5	72.5°	70.5°	145.0	450.0	1068.2
	L / 500	563.9	72.5°	70.5°	145.0	450.0	1088.6
	XL / 550	589.8	72.5°	70.5°	145.0	450.0	1109.1
<b>Arena LS</b>	M / 460	587.8	69.9°	70.0°	180.0	460.0	1096.3
	L / 500	596.6	69.9°	70.0°	180.0	460.0	1106.3
	XL / 540	613.3	69.9°	70.0°	180.0	460.0	1121.3
<b>Elegra</b>	26" x 440	590.0	72.5°	70.0°	140.0	450.0	1121.2
	M / 700C x 440	595.4	72.5°	70.0°	140.0	465.0	1142.4
	L / 700C x 480	597.0	72.5°	70.0°	140.0	465.0	1142.4
<b>Riviera</b>	S / 430	585.1	73.0°	70.0°	170.0	470.0	1131.7
	M / 480	589.3	73.0°	70.0°	170.0	470.0	1137.9
	L / 530	598.0	73.0°	70.0°	170.0	470.0	1143.9
<b>Trendy</b>	XL / 570	603.8	73.0°	70.0°	170.0	470.0	1183.4
	L / 500	545.4	70.0°	70.0°	175.0	460.0	1064.6
<b>Citerra</b>	XL / 550	559.4	70.0°	70.0°	175.0	460.0	1074.6
	M / 450	573.9	72.5°	70.5°	160.0	465.0	1107.9
<b>Picnic</b>	L / 500	586.6	72.5°	70.5°	170.0	465.0	1123.3
	XL / 550	602.9	72.5°	70.5°	170.0	465.0	1138.3
	M / 450	588.5	68.0°	70.0°	180.0	490.0	1129.6
	L / 500	615.9	67.0°	70.5°	180.0	490.0	1139.3
	XL / 550	651.5	66.0°	71.0°	180.0	490.0	1151.4




28" wheels size - Lady  
(trapez type) frames

	frame size (A)	B	C	D	E	F	G
<b>Quest</b>	M / 440	537.0	73.0°	71.0°	135.0	445.0	1049.5
	L / 480	550.0	73.0°	71.0°	145.0	445.0	1064.9
	XL / 520	565.0	73.0°	71.0°	155.0	445.0	1080.3
<b>Flydy</b>	M / 440	545.0	72.5°	70.5°	145.0	450.0	1065.8
	L / 480	553.3	72.5°	70.5°	160.0	450.0	1076.4
	XL / 520	562.9	72.5°	70.5°	175.0	450.0	1086.9
<b>Journey</b>	M / 440	534.0	72.0°	71.0°	135.0	460.0	1056.0
	L / 480	547.9	72.0°	71.0°	145.0	460.0	1071.0
	XL / 520	564.5	72.0°	71.0°	160.0	460.0	1087.0
<b>Amber</b>	M / 440	534.9	72.5°	70.5°	135.0	450.0	1056.0
	L / 480	548.5	72.5°	70.5°	145.0	450.0	1071.0
	XL / 520	564.0	72.5°	70.5°	160.0	450.0	1087.0
<b>Galatea</b>	M / 450	543.7	72.5°	70.5°	135.0	450.0	1068.2
	L / 500	563.9	72.5°	70.5°	145.0	450.0	1088.6
	XL / 550	587.1	72.5°	70.5°	160.0	450.0	1109.1
<b>Arena</b>	M / 440	534.9	72.5°	70.5°	135.0	450.0	1056.0
	L / 480	548.5	72.5°	70.5°	145.0	450.0	1071.0
	XL / 520	564.0	72.5°	70.5°	160.0	450.0	1087.0
<b>Travel</b>	M / 440	534.7	72.5°	70.5°	130.0	440.0	1046.2
	L / 480	548.4	72.5°	70.5°	145.0	440.0	1061.7
	XL / 520	563.7	72.5°	70.5°	160.0	440.0	1077.2
<b>Citerra</b>	M / 440	534.9	72.5°	70.5°	135.0	450.0	1056.0
	L / 480	548.5	72.5°	70.5°	145.0	450.0	1071.0
	XL / 520	564.0	72.5°	70.5°	160.0	450.0	1087.0


# GEOMETRY SIZE CHART



- A seat tube length (mm)
- B effective top tube length (mm)
- C seat tube angle
- D head tube angle
- E head tube length (mm)
- F chain stay length (mm)
- G wheel base (mm)



26" wheels size  
Mountain type frames




29" wheels size  
Mountain type frames

	frame size (A)	B	C	D	E	F	G
<b>Grip</b>							
	M / 440	550.0	73.0°	71.0°	120.0	425.0	1051.8
	L / 480	572.0	73.0°	71.0°	120.0	425.0	1071.8
	XL / 520	589.2	73.0°	71.0°	140.0	425.0	1087.6
	XXL / 560	616.2	73.0°	71.0°	140.0	425.0	1107.7
<b>Traction</b>							
	M / 430	549.9	73.0°	71.0°	120.0	425.0	1050.1
	L / 480	570.3	73.0°	71.0°	130.0	425.0	1070.5
	XL / 530	594.2	73.0°	71.0°	140.0	425.0	1090.8
	XXL / 580	621.2	73.0°	71.0°	150.0	425.0	1111.2
<b>GRX</b>							
	S / 410	531.3	74.0°	70.5°	120.0	425.0	1043.4
	M / 460	552.7	73.5°	70.5°	130.0	425.0	1061.7
	L / 510	567.3	73.5°	71.0°	140.0	425.0	1067.9
	XL / 560	588.9	73.5°	71.0°	170.0	425.0	1090.2
	XXL / 610	604.5	73.0°	71.0°	170.0	425.0	1090.3
<b>Parallax</b>							
	M / 430	548.4	72.5°	70.0°	130.0	425.0	1059.3
	L / 485	564.2	72.5°	70.0°	135.0	425.0	1074.6
	XL / 530	583.2	72.5°	70.0°	140.0	425.0	1089.9
<b>Spotster</b>							
	S / 380	528.5	73.5°	69.5°	120.0	425.0	1041.1
	M / 420	532.3	73.0°	70.0°	130.0	425.0	1041.1
	L / 460	538.9	73.0°	70.0°	135.0	425.0	1051.1
	XL / 530	549.4	73.0°	70.5°	150.0	425.0	1056.2
<b>Gravito</b>							
	S / 410	549.6	73.0°	71.0°	120.0	425.0	1050.0
	L / 460	570.6	73.0°	71.0°	120.0	425.0	1070.0
	M / 510	596.8	73.0°	71.0°	120.0	425.0	1090.0
<b>Gravita</b>							
	M / 420	513.9	73.0°	71.0°	120.0	425.0	1012.6
	L / 460	535.1	73.0°	71.0°	120.0	425.0	1033.1

	frame size (A)	B	C	D	E	F	G
<b>Grip</b>							
	M / 440	569.7	72.5°	71.5°	105.0	440.0	1082.5
	L / 480	589.5	72.5°	71.5°	110.0	440.0	1102.7
	XL / 520	616.5	72.5°	71.5°	120.0	440.0	1127.5
	XXL / 560	639.1	72.5°	71.5°	140.0	440.0	1148.8
<b>Big Foot</b>							
	S / 400	559.9	73.75°	71.5°	115.0	450.0	1067.7
	M / 450	577.3	73.75°	71.5°	115.0	450.0	1088.9
	L / 510	593.9	73.75°	71.5°	125.0	450.0	1110.2

Gravito S slopy frame design  
Gravita S  
26"/24"/20" wheels size



	frame size (A)	B	C	D	E	F	G
<b>S 26</b>							
	350	553.8	73.0°	71.0°	120.0	425.0	1050.0
<b>S 24</b>							
	320	507.6	73.0°	71.0°	120.0	405.0	984.4
<b>S 20</b>							
	290	435.3	71.0°	71.0°	120.0	360.0	860.0

**CROSS**  
**CROSSER**

Registered trademarks of CROSS Ltd.  
Specifications are subject to change without notice.  
[www.crosscycle.com](http://www.crosscycle.com)

